MERCURY IN SOLID OR SEMISOLID WASTE (MANUAL COLD-VAPOR TECHNIQUE) EPA 7471B REVISION 2 2007					
Facility Name:	VELAP ID				
Assessor Name:Analyst Name:	Inspection Date				
Relevant Aspect of Standards	Method Reference	Y	N	N/A	Comments
Records Examined: SOP Number/ Revision/ Date	Analyst:				
Sample ID: Date of Sample Prepare	ation:	Date of Analysis:			nalysis:
Was aqua regia prepared immediately prior to use with three parts HCl to one part HNO <sub>3</sub> ?	7.3				
Were samples held for not longer than 28 days prior to analysis?	8.3				
Were solid samples refrigerated until analysis?	8.3				
Was at least one method blank analyzed with each batch of samples processed?	9.3				
Were laboratory control samples carried through all aspects of processing and analysis and analyzed to be within ±20% or within historical compiled control limits?	9.4				
Were laboratory control samples analyzed every ten samples?	9.4				
If method blanks or laboratory control samples were analyzed to be not acceptable, were they re-run only once more?	9.3, 9.4				
If method blanks or laboratory control samples failed second analyses, were all the samples from the previous passing LCS or blank reprepared and reanalyzed?	9.4				
Were a spike and a duplicate or spike duplicate prepared and analyzed with each batch, with an acceptance range within ± 20%?	9.5				
Were 5 mL aliquots of aqua regia added to 10 mL volumes of calibration standards, and the solutions heated for 2 minutes at 95 ± 3°C?	10.1				
Were 50 mL of reagent water and 15 mL of potassium permanganate then added to each bottle?	10.1				
Were the bottles reheated at $95 \pm 3^{\circ}$ C for 30 minutes?	10.1				
Were bottles then cooled and 6 mL portions of sodium chloride-hydroxlyamine sulfate added?	10.1				
Notes/Comments:					

## MERCURY IN SOLID OR SEMISOLID WASTE (MANUAL COLD-VAPOR TECHNIQUE) **EPA 7471B REVISION 2 2007** Υ Ν N/A Relevant Aspect of Standards Method Comments Reference Were 50 mL portions of reagent water then added to the bottles, followed by 5 mL of stannous sulfate 10.1 solution? (10% stannous chloride may be substituted per section 7.5.) Were calibration standards then analyzed and their 10.2 absorbances plotted versus micrograms of mercury? Were 5 mL of reagent water and 5 mL of agua regia 11.1 added to weighed portions of sample? Were sample digestion containers heated at 95 ± 3°C 11.1 for 2 minutes? Were 50 mL of reagent water and 15 mL of potassium 11.1 permanganate then added to each sample digest? Did purple color persist for at least 15 minutes? 11.1 If purple color did not persist for at least 15 minutes, 11.1 were additional portions of permanganate added? Were the same portions of permanganate added to all 11.1 samples, standards, and QC in a batch? Were digests heated at $95 \pm 3^{\circ}$ C for 30 minutes? 11.1 Were digests cooled, 6 mL portions of sodium chloride-hydroxylamine solution added, and then 5 11.1 mL portions of stannous sulfate added? **Alternate Digestion Procedure:** Were 5 mL of concentrated H<sub>2</sub>SO<sub>4</sub>, 2 mL of concentrated HNO<sub>3</sub>, and 5 mL of saturated KMnO<sub>4</sub> 11.2 added to each weighed sample? Were the digestion containers then covered with a piece of foil and autoclave at 121±3°C and 15 lb for 11.2 15 minutes? Were the digested samples cooled and diluted to 100 11.2 mL with reagent water? Were the dead air spaces purged from the digestion 11.2 containers? Were 6 mL portions of sodium chloride-hydroxylamine 11.1 solution added to digestion containers? Were 5 mL portions of stannous sulfate added 11.1 solutions to each digestion container? Notes/Comments: